



RR120 & RR121 Digital Sensor Series RR111 Analog Sensor Series

PRODUCT QUALIFICATION REPORT

December 5, 2017

66 Whitecap Drive, North Kingstown, RI 02852 / Tel: +1-401-943-2686, Fax: +1-408-942-0920 QR RR120, RR111 & RR121 Digital Sensor Series Rev 1.4



Summary

This report documents the qualification and test results for Coto Technology's RR120, RR111 and RR121 series of Sensor products.

The digital sensors are fabricated using Coto Technology's second generation TMR process and assembled in industry standard packages such as SOT23 and LGA-4.

All of the environmental tests were performed at an accredited independent testing lab.

In total, 4,924 devices were tested with a variety of qualification stress tests under various test conditions. There were zero failures. This report certifies that the RR120 and RR121 series are qualified.

Reference Documents

JESD47I:	Stress-Test-Driven Qualification of Integrated Circuits
JESD22-A113:	Preconditioning MLS1 and MLS3
JESD22-A103:	High Temperature Storage Life (HTSL)
JESD22-A104:	Temperature Cycling
JESD22-A108:	Temperature, Bias, and Operating Life (HTOL)
JESD22-A118:	Unbiased HAST
JESD22-A110:	Biased HAST
JEDEC-JS001-2014:	ESD

66 Whitecap Drive, North Kingstown, RI 02852 / Tel: +1-401-943-2686, Fax: +1-408-942-0920 QR RR120, RR111 & RR121 Digital Sensor Series Rev 1.4



JESD78: Latch Up

Table of Contents

- 1. Product Tested /4
- 2. Definition of Qualification /5
- 3. Qualification Test Plan /5
- 4. Sampling Plan /7
- 5. Failure Criteria /7
- 6. Summary of Qualification Test Results /7
- 7. Conclusion /14
- 8. Revision History /15

66 Whitecap Drive, North Kingstown, RI 02852 / Tel: +1-401-943-2686, Fax: +1-408-942-0920 QR RR120, RR111 & RR121 Digital Sensor Series Rev 1.4



1. Product Tested

The sensor products are fabricated using Coto Technology's second generation TMR process and assembled in industry standard packages.

All tests are performed by an accredited independent testing lab.

In total, **4,924** devices were stressed with a variety of qualification tests under various test conditions. Of the devices tested, there were zero failures during qualification testing.



2. Definition of Qualification

The RR120, RR111 and RR121 series of products are defined as products meeting all of the following criteria:

- A single TMR process technology (TMR = magnetic field sensor process)
- The same design rules and process technology.

3. Qualification Test Plan

The product qualification test plan is outlined in Table 1. This plan is based on the guidelines of the JESD47I, *Stress-Test-Driven Qualification of Integrated Circuits*, published by JEDEC Solid State Technology Association.



Table 1 – List of Qualification Test

Test	Stress	Duration	Sample Size
Parametric	Evaluate	N/A	All devices used
Tests	datasheet spec at 25°C		for qualification
Pre-Conditioning	Thermal, Mechanical for		
The conditioning	package integrity		
	SOT & TO92 Packages	MSL1	10 lots (4000 units)
	LGA package	MSL3	2 lots (680 units)
Temperature	Thermal, Mechanical	(-55°C; +125°C)	12 lots
Cycle		3 cycles/hr	(924 units)
		1000 cycles	
Unbiased HAST	Thermal, Moisture	@130°C, RH 85%	12 lots
		96 hrs	(924 units)
Biased HAST	Bias, Thermal	VCC @4V	12 lots
	Moisture	@130°C, RH 85%	(924 units)
		96 hrs	
HTOL	Bias, Thermal	1000 hrs	13 lots (1001 units)
		(See Bias Conditions in Table 5 of Section 6.5)	
High	Thermal,	1000 hrs	13 lots
Temperature	Material relaxation	(See Static Bake Conditions in Table 6 of Section 6.6)	(1001 units)
Storage			
Latch-Up	Electrical	JESD78 (+/-200 mA)	6 lots
ESD	Human Body Model	JEDEC-JS001-2014	6 lots

HAST – Highly accelerated temperature/humidity stress test HTOL – High temperature operation life

66 Whitecap Drive, North Kingstown, RI 02852 / Tel: +1-401-943-2686, Fax: +1-408-942-0920 QR RR120, RR111 & RR121 Digital Sensor Series Rev 1.4



4. Sampling Plan

Random samples were selected for product qualification as shown in Table 1. Sample size meets or exceeds the number of samples recommended by JESD47I standard. Seventy-seven (77) sample units per lot were used for each stress test with 5% LTPD.

5. Failure Criteria

A device failure is defined as a condition in which a stressed device can no longer meet its datasheet specifications or it has consequential physical damage attributed to an environmental test.

6. Summary of Qualification Test Results

A summary of qualification test results is provided in following sections.



6.1. Pre-Conditioning

A total of 4,000 devices were pre-conditioned using JESD22-A113 level-1 procedures. Another 680 devices were pre-conditioned using JESD22-A113-level-3 procedures. Preconditioning is performed on samples before they are subjected to package-related stress tests. The samples were exposed to thermally stressful conditions equivalent to thermal conditions experienced by units during board soldering.

Wafer Lot	MSL Level	Sample Size	Devices failed	Test Outcome
T515224.7, 515224.19, T511095, T515224.1, T515224.20, T702388.13, T702388.3, T706957.10, T706494.19	1	4,000	0	Pass
T706949, T706957.5	3	680	0	Pass

Table 1.2 – *Preconditioning* Results

All parts have passed the Pre-conditioning.

66 Whitecap Drive, North Kingstown, RI 02852 / Tel: +1-401-943-2686, Fax: +1-408-942-0920 QR RR120, RR111 & RR121 Digital Sensor Series Rev 1.4



6.2. Temperature Cycling

A total of 924 devices were tested with temperature cycling. Temperature cycling stresses devices between -55°C to +125°C at 3 cycles per hour for 1,000 cycles. This test is used for analysis of package performance.

Wafer Lot	Sample Size	No. of Cycles	Devices failed	Test Outcome
T515224.7	77	1000	0	Pass
T515224.19	77	1000	0	Pass
T511095	77	1000	0	Pass
T515224.1	77	1000	0	Pass
T515224.20	77	1000	0	Pass
T512071	77	1000	0	pass
T702388.13	77	1000	0	Pass
T702388.3	77	1000	0	Pass
T706957.10	77	1000	0	Pass
T706494.19	77	1000	0	Pass
T706949	77	1000	0	Pass
T706957.5	77	1000	0	Pass

Table 2 – Temperature Cycling Results

All parts have passed the Temperature Cycling test.

66 Whitecap Drive, North Kingstown, RI 02852 / Tel: +1-401-943-2686, Fax: +1-408-942-0920 QR RR120, RR111 & RR121 Digital Sensor Series Rev 1.4



6.3. Unbiased HAST Test

(Highly Accelerated Temperature/Humidity Stress Test)

A total 924 devices were tested for HAST. The HAST is done at +130°C and 85% relative humidity for 96 hours. This test is used for analysis of package performance.

Wafer Lot	Sample Size	Ambient	Devices failed	Test Outcome
T515224.7	77	130 ⁰ C, RH 85%	0	Pass
T515224.19	77	130 ⁰ C, RH 85%	0	Pass
T511095	77	130 ⁰ C, RH 85%	0	Pass
T515224.1	77	130 ⁰ C, RH 85%	0	Pass
T515224.20	77	130 ⁰ C, RH 85%	0	Pass
T512071	77	130 ⁰ C, RH 85%	0	Pass
T702388.13	77	130 ⁰ C, RH 85%	0	Pass
T702388.3	77	130 ⁰ C, RH 85%	0	Pass
T706957.10	77	130 ⁰ C, RH 85%	0	Pass
T706494.19	77	130 ⁰ C, RH 85%	0	Pass
T706949	77	130 ⁰ C, RH 85%	0	Pass
T706957.5	77	130 ⁰ C, RH 85%	0	Pass

Table 3 – UHAST Results

All parts have passed the unbiased HAST test.

66 Whitecap Drive, North Kingstown, RI 02852 / Tel: +1-401-943-2686, Fax: +1-408-942-0920 QR RR120, RR111 & RR121 Digital Sensor Series Rev 1.4



6.4. Biased HAST Test (Biased Highly Accelerated Stress Test)

A total 924 devices were tested on biased HAST. The HAST is done at +130°C and 85% relative humidity under 4.0 V bias for 96 hours. This test is used for analysis of package performance under extreme operating conditions.

	Sample Size	Ambient	Devices failed	Test Outcome
T515224.7	77	130 ⁰ C, RH 85%	0	Pass
T515224.19	77	130 ⁰ C, RH 85%	0	Pass
T511095	77	130 ⁰ C, RH 85%	0	Pass
T515224.1	77	130 ⁰ C, RH 85%	0	Pass
T515224.20	77	130 ⁰ C, RH 85%	0	Pass
T512071	77	130 ⁰ C, RH 85%	0	Pass
T702388.13	77	130 ⁰ C, RH 85%	0	Pass
T702388.3	77	130 ⁰ C, RH 85%	0	Pass
T706957.10	77	130 ⁰ C, RH 85%	0	Pass
T706494.19	77	130 ⁰ C, RH 85%	0	Pass
T706949	77	130 ⁰ C, RH 85%	0	Pass
T706957.5	77	130 ⁰ C, RH 85%	0	Pass

Table 4 – Biased HAST Results

66 Whitecap Drive, North Kingstown, RI 02852 / Tel: +1-401-943-2686, Fax: +1-408-942-0920 QR RR120, RR111 & RR121 Digital Sensor Series Rev 1.4



All parts have passed the biased HAST test.

6.5.1 HTOL Test (High Temperature Operation Life Test)

A total of 1,001 devices were tested HTOL. This test is used for analysis of life time of the device under extreme operating conditions.

Wafer Lot	Sample Size	No. of Hours	Devices failed	Test Outcome	Bias Condition
T515224.7	77	1000	0	Pass	4V @150C
T515224.19	77	1000	0	Pass	4V @150C
T511095	77	1000	0	Pass	4V @ 125C
T515224.1	77	1000	0	Pass	4V @ 125C
T515224.20	77	1000	0	Pass	4V @150C
T512071	77	1000	0	Pass	4V @150C
T702388.13	77	1000	0	Pass	4V @150C
T702388.21	77	1000	0	Pass	4V @150C
T702388.3	77	1000	0	Pass	4V @150C
T706957.10	77	1000	0	Pass	4V @150C
T706494.19	77	1000	0	Pass	4V @150C
T706949	77	1000	0	Pass	4V @125C
T706957.5	77	1000	0	Pass	4V @125C

Table 5 – HTOL Results

All parts have passed the HTOL test.

66 Whitecap Drive, North Kingstown, RI 02852 / Tel: +1-401-943-2686, Fax: +1-408-942-0920 QR RR120, RR111 & RR121 Digital Sensor Series Rev 1.4



6.5.2 Early Life Failure Rate

Total of 1,440 units of various lots were stressed with high temperature life stress conditions (4.0 V, +150C) for 168 hours. These units all passed the electrical test following the stress, there are no failures.

6.6. High Temperature Storage Test

A total of 1,001 devices were tested on high temperature storage. This test is used for analysis of device performance.

Table 6 – High Temperature Storage Results





Wafer Lot	Sample Size	No. of Hours	Devices failed	Test Outcome	Bake Temperature
T515224.7	77	1000	0	Pass	150C
T515224.19	77	1000	0	Pass	150C
T511095	77	1000	0	Pass	125C
T515224.1	77	1000	0	Pass	125C
T515224.20	77	1000	0	Pass	150C
T512071	77	1000	0	Pass	150C
T702388.13	77	1000	0	Pass	150C
T702388.21	77	1000	0	Pass	150C
T702388.3	77	1000	0	Pass	150C
T706957.10	77	1000	0	Pass	150C
T706494.19	77	1000	0	Pass	150C
T706949	77	1000	0	Pass	125C
T706957.5	77	1000	0	Pass	125C

All parts have passed the high temperature storage test.

6.7. ESD (HBM)

Human Body Model test was performed on a number of samples from three different lots of RR120, RR111 and RR121 series to characterize the susceptibility of devices to damage from electrostatic discharge (ESD) induced by human handling. Resulting data did not show any notable change due to ESD. Product is qualified for 4kV per JEDEC-JS001-2014.

6.8. Latch-up (LU)

66 Whitecap Drive, North Kingstown, RI 02852 / Tel: +1-401-943-2686, Fax: +1-408-942-0920 QR RR120, RR111 & RR121 Digital Sensor Series Rev 1.4



Latch up characterization was successfully completed on samples from three different lots of RR120, RR111 and RR121 series using excessive current flow between the power supply and ground as well as output to power pin and to ground. Product is qualified per JESD78.

7. Conclusion

The RR120, RR111 and RR121 series products were tested as described in this report. The products tested met all electrical performance requirements and no failures were observed in any of the qualification tests. Based on these results, Coto Technology certifies that RR120, RR111 and RR121 series products are qualified.

Revision History:

Version	Date	Description
1.1	12/5/2016	Initial Release
1.2	7/7/2017	Added 2 more HTOL lots' data
1.3	9/22/2017	Added RR111 / RR121 series
1.4	12/5/2017	Completed RR111 / RR121 series

66 Whitecap Drive, North Kingstown, RI 02852 / Tel: +1-401-943-2686, Fax: +1-408-942-0920 QR RR120, RR111 & RR121 Digital Sensor Series Rev 1.4